

DOSSERT®

TYPE RP

Copper Reducing Clamp for Tubular Bus

A clamp type reducing coupler for connecting various sizes of standard pipe size tubular buses end to end. Contact surfaces finished to provide a strong grip on the conductor and a good electrical contact.

Material

Copper Alloy

Hardware

Everdur bolts, nuts and lockwashers





FIG. 1





FIG. 2



DOSSERT®

TYPE RP

Copper Reducing Clamp for Tubular Bus

Ordering Information

CATALOG NUMBER	SPS		FIG. NO.	DIMENSIONS IN INCHES		BOLT SIZE
	IN	OUT		B	C	
RP38-25	3/8	1/4	1	1 1/2	1 1/2	3/8
RP50-25	1/2	1/4	1	1 1/2	1 1/2	3/8
RP50-38	1/2	3/8	1	1 1/2	1 1/2	3/8
RP75-25	3/4	1/4	1	1 1/2	1 1/2	3/8
RP75-38	3/4	3/8	1	1 1/2	1 1/2	3/8
RP75-50	3/4	1/2	2	2	2	3/8
RP100-38	1	3/8	2	1 1/2	1 1/2	3/8
RP100-50	1	1/2	2	2 1/8	2 1/8	3/8
RP100-75	1	3/4	2	2 1/8	2 1/8	3/8
RP125-50	1 1/4	1/2	2	2 1/8	2 1/8	3/8
RP125-75	1 1/4	3/4	2	2 1/8	2 1/8	3/8
RP125-100	1 1/4	1	2	2 1/8	2 1/8	3/8
RP150-50	1 1/2	1/2	2	2 1/8	2 1/8	3/8
RP150-75	1 1/2	3/4	2	2 1/8	2 1/8	3/8
RP150-100	1 1/2	1	2	2 1/8	2 1/8	3/8
RP150-125	1 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP200-50	2	1/2	2	2 1/8	2 1/8	3/8
RP200-75	2	3/4	2	2 1/8	2 1/8	3/8
RP200-100	2	1	2	2 1/8	2 1/8	3/8
RP200-125	2	1 1/4	2	2 1/2	2 1/2	1/2
RP200-150	2	1 1/2	2	2 5/8	2 5/8	1/2
RP200-50	2 1/2	1/2	2	2 1/8	2 1/8	3/8
RP250-75	2 1/2	3/4	2	2 1/8	2 1/8	3/8
RP250-100	2 1/2	1	2	2 1/8	2 1/8	3/8
RP250-125	2 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP250-150	2 1/2	1 1/2	2	2 5/8	2 5/8	1/2
RP250-200	2 1/2	2	2	2 3/4	2 3/4	1/2
RP300-100	3	1	2	2 1/8	2 1/8	3/8
RP300-125	3	1 1/4	2	2 1/2	2 1/2	1/2
RP300-150	3	1 1/2	2	2 5/8	2 5/8	1/2
RP300-200	3	2	2	2 3/4	2 3/4	1/2
RP300-250	3	2 1/2	2	2 3/4	2 3/4	1/2
RP350-100	3 1/2	1	2	2 1/8	2 1/8	3/8
RP350-125	3 1/2	1 1/4	2	2 1/2	2 1/2	1/2
RP350-150	3 1/2	1 1/2	2	2 5/8	2 5/8	1/2
RP350-200	3 1/2	2	2	2 3/4	2 3/4	1/2
RP350-250	3 1/2	2 1/2	2	2 3/4	2 3/4	1/2
RP350-300	3 1/2	3	2	3 1/4	3 1/4	5/8
RP400-125	4	1 1/4	2	2 1/2	2 1/2	1/2
RP400-150	4	1 1/2	2	2 5/8	2 5/8	1/2
RP400-200	4	2	2	2 3/4	2 3/4	1/2
RP400-250	4	2 1/2	2	2 3/4	2 3/4	1/2
RP400-300	4	3	2	3 1/4	3 1/4	5/8
RP400-350	4	3 1/2	2	3 1/4	3 1/4	5/8